

Phonak Virto™ Paradise Order Form

For quicker turn around time, order custom hearing instruments on the Phonak Store or via EasyOrder shop.phonakpro.com/apps/easyorder/ph/us/virto-p.html

Step 1: Customer Information

Ship To Account:

Address: _____
 City: _____
 State: _____ Zip: _____

Bill To Account:

Third Party Patient Number: _____
 Date: _____
 Purchase Order Number: _____
 Contact Name: _____
 Phone Number: _____
 Email Address: _____

HI Warranty/Rush Options


2nd year 3rd year 4th year / 24-hour service (\$64.99)

Step 3: Product

Wireless (direct connectivity):



Non-wireless:



Step 4: Performance Level

Virto P-Titanium

P90 P70

Virto P-10 NW 0/P-312 NW 0/P-312

P90 P70 P50 P30

Step 5: Power Level

M **P** **SP** **UP¹**

Step 6: Colors

Shell

Black (06)¹
 Transparent (21)
 Cocoa (22)
 Pink (26)
 Tan (14)
 Brown (28)
 Red/Blue (R/B)⁴
 Titanium gray (UO)³

Faceplate

Black (06)^{2,3}
 Cocoa (22)³
 Pink (26)³
 Tan (14)
 Brown (28)

1 Only available for Wireless Virto P-312
 2 Not available for Virto P-312 NW 0
 3 Only selections for Virto P-Titanium
 4 Standard for IIC and CIC

Step 2: Patient Information

Last Name: _____
 First Name: _____
 Age: _____ Gender: _____

Is this patient order being fully or partially paid for by state or federal government funds? Yes No

Audiogram (Required for AOV):

	HZ	250	500	1K	2K	3K	4K
Left:	AC						
Right:	AC						

Shipping & Handling Options*

Next Morning (\$32.99) 2 Business Days (\$20.99)
 Next Afternoon (\$21.99) 3-5 Business Days (\$19.99)

* Based on location and courier

Step 7: Options

For selection options and codes see combination matrix on the back side.

Legend / (S) = Standard = Optional

Fast order **>>>** Build product as standard version

Shell sizes	Smallest possible	<input checked="" type="checkbox"/> (S)
	Manually selected	Style:
Vent size	AOV (enter audiogram)	<input checked="" type="checkbox"/> (S)
	AOV-0 (Virto P-Titanium only)	<input type="checkbox"/>
	Manually selected	Left: Right:
User controls	Standard controls	<input checked="" type="checkbox"/> (S)
	Push button	<input type="checkbox"/>
	Volume control (VC)	<input type="checkbox"/>
	T-coil	<input type="checkbox"/>
	Other	
Wax system	Cerustop (CS)	<input checked="" type="checkbox"/> (S)
	Manually selected	Type:
Removal line (RF)	Transparent (21) ⁴	<input type="checkbox"/> ⁴
Titanium surface	Extra retention (ERS)/Matte	<input type="checkbox"/>
Acrylic/retention options	See matrix for options (only available in the Shell Color selected)	
Accessories (Virto P-312 only)	TV Connector	<input type="checkbox"/>
	Phonak PartnerMic™	<input type="checkbox"/>
	Phonak RemoteControl	<input type="checkbox"/>
	Roger On™ iN	
	Roger Select™ iN	<input type="checkbox"/>

Special Instructions Call me if changes are needed OK to make changes without phone call
 I would like to receive a paper user guide

Combination matrix

		Virto P-Titanium 	Virto P-10 NW O 	Virto P-312 NW O 	Virto P-312 
Shell style		IIC, CIC	IIC, CIC ⁹ , MC, C, HS, FS	MC, C, HS, FS	HS, FS
Push button	Standard	No push button (PX)	Push button (PM1) ⁸	No push button (PX)	Push button (PM1) – required
	Optional	Push button (PM1)	No push button (PX)	Push button (PM1) ⁸	-
Volume Control	Standard	-	No VC (VCX)	No VC (VCX)	No VC (VCX)
	Optional	-	Digital VC (VC3) (not available in combination with PB; not available for IIC)	Digital VC (VC3)	Digital VC (VC3)
T-Coil ⁵	Standard	No T-coil (TX)	No T-coil (TX)	No T-coil (TX)	-
	Optional	T-coil (TP)	T-coil (TP) ⁸	T-coil (TP) ⁸	-
Magnetic switch function	Standard	MiniControl (DT5)	EasyPhone (DT4) ⁸	EasyPhone (DT4) ⁸	-
	Optional	EasyPhone (DT6)	MiniControl (DT3) No EasyPhone (RX)	No EasyPhone (RX)	-
Wax system	Standard	Cerustop (CS) – required	Cerustop (CS)	Cerustop (CS)	Cerustop (CS)
	Optional	-	Extended rec. tube (ER) Wax Spring (WS) Ext. Tube + Spring (WE) Wax guard not required (X)	Extended rec. tube (ER) Wax Spring (WS) Ext. Tube + Spring (WE) Wax guard not required (X)	Extended rec. tube (ER) Wax Spring (WS) Ext. Tube + Spring (WE) Wax guard not required (X)
Removal line	Standard	Removal line transparent (RF) ⁶	Removal line transparent (RF) ⁶	-	-
	Optional	-	Removal line transparent (RF)	Removal line transparent (RF)	Removal line transparent (RF)
Acrylic/retention options	Optional	-	Canal lock ^{5,7} Helix lock ^{5,7} Raised VC	Canal lock ^{5,7} Helix lock ^{5,7} Raised VC	Canal lock ^{5,7} Helix lock ^{5,7} Raised VC

5 Chargeable option 6 Standard for IIC and CIC 7 Color will match shell color 8 Not available in combination with VC 9 Acrylic default is CIC, even if "smallest possible" is checked

Titanium Information

Vent Options

AOV = Acoustically Optimized Vent. Phonak will set the correct vent diameter and style in relation to Audiogram/shell geometry/feedback canceler and required low frequency gain. This is the recommended vent type.

AOV-O = Acoustically Optimized Vent-Open. This specific vent is more open and recommended for first time users and clients who are sensitive to occlusion. Only available for Virto P-Titanium.

Titanium FitGuide


Measure the possible insertion depth. The device will be built in accordance with the indicated FitGuide value. If the measurement falls between two numbers, please use the smaller number.

- Side M – for devices with M-receiver
- Side P – for devices with P-receiver
- Models with SP receiver will be built without FitGuide information

Impression Taking

Recommendations for taking impressions:

- EasyView Otoblock placed past the second bend **1**
- Low viscosity material **2**
- Always fill the complete concha with impression material **3**
- Intertragal notch must be visible **4**
- When fitting Titanium, impression length must cover the evaluated FitGuide value **5**



All of our products, including custom products and spare parts, can be ordered online in the Phonak store.

Sonova USA Inc. is not responsible and assumes no liability for any non-Phonak manufactured device or accessory sent by you to Phonak. Please ensure that you only include Phonak devices and accessories herein. Products, options and accessories are subject to change without notice.